



A P P R O V A L S ®

Certificate of Approval

Certificate No.: SAA-151339-EA

Certificate Holder: Adapter Technology Co. Ltd
6F-9, No. 258, Liancheng Road,
Zhonghe District,
New Taipei City, 235
Taiwan

Class Description: Power Supply or Charger
Product Description: AC Adapter (Desktop Type)
Brand Name: ADAPTER TECH.
Model No.: ATS065T-A120
Markings: Input: 100-240Vac 50-60Hz, 1.4A Max
Output: 12Vdc 5.00A 60W
Class II
Standard: AS/NZS 60950.1:2011 Inc A1
Conditions: Nil

Approval Mark: SAA-151339-EA or RCM

Date First Registered: 8 July 2015
Date of Expiry: 8 July 2020


For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 08-07-15 151339/1



A P P R O V A L S ®

Certificate of Approval

Addendum

Certificate No.: SAA-151339-EA

Date of Issue: 8 July 2015

Class Description: Power Supply or Charger
Product Description: AC Adapter (Desktop Type)

Additional Models

- ATS065T-A135
- ATS065T-A150
- ATS065T-A160
- ATS065T-A180
- ATS065T-A190
- ATS065T-A200
- ATS065T-A240
- ATS065T-A241
- ATS065T-A300
- ATS065T-A320
- ATS065T-A321
- ATS065T-A480
- ATS065T-A560
- ATS072T-A240

Description

- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 13.5Vdc 4.82A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 15Vdc 4.34A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 16Vdc 4.07A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 18Vdc 3.62A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 19Vdc 3.43A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 20Vdc 3.25A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 24Vdc 2.71A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 24Vdc 2.71A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 30Vdc 2.17A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 32Vdc 2.04A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 32Vdc 2.04A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 48Vdc 1.36A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 56Vdc 1.17A 65W
- Input: 100-240Vac 50-60Hz, 1.6A Max Output: 24Vdc 3.00A 72W


For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 08-07-15 151339/2



APPROVALS®

Certificate of Approval

Addendum

Certificate No.: SAA-151339-EA

Date of Issue: 8 July 2015

Class Description: Power Supply or Charger
Product Description: AC Adapter (Desktop Type)

Additional Models

ATS065T-A135

ATS065T-A150

ATS065T-A160

ATS065T-A180

ATS065T-A190

ATS065T-A200

ATS065T-A240

ATS065T-A241

ATS065T-A300

ATS065T-A320

ATS065T-A321

ATS065T-A480

ATS065T-A560

ATS072T-A240

Description

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 13.5Vdc 4.82A 65W

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 15Vdc 4.34A 65W

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 16Vdc 4.07A 65W

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 18Vdc 3.62A 65W

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 19Vdc 3.43A 65W

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 20Vdc 3.25A 65W

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 24Vdc 2.71A 65W

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 24Vdc 2.71A 65W

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 30Vdc 2.17A 65W

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 32Vdc 2.04A 65W

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 32Vdc 2.04A 65W

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 48Vdc 1.36A 65W

Input: 100-240Vac 50-60Hz, 1.4A Max Output: 56Vdc 1.17A 65W

Input: 100-240Vac 50-60Hz, 1.6A Max Output: 24Vdc 3.00A 72W


For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 10-07-15 151339/2a
Ratings corrected